Preen®

GARDEN WEED PREVENTER PLUS PLANT FOOD

CONTROLADOR DE MALEZAS DE JARDÍN MÁS ALIMENTO PARA PLANTAS

STOP WEEDS BEFORE THEY START!™

ACTIVE INGREDIENT:	
Trifluralin	1.47%
OTHER INGREDIENTS:	98.53%
TOTAL	100.00%

WEEDS **900** SQ. FT.

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for First Aid and additional Precautionary Statements.

Net Wt. 5.625 lbs. (2.55 kg)

Preen®

GARDEN WEED PREVENTER

Plus PLANT FOOD

Preen Works, So You Don't Have To.®

NOT FOR USE ON LAWNS

NO APTO PARA USO EN CÉSPED

SEE INSIDE BOOKLET FOR COMPLETE DIRECTIONS FOR USE, PLANT LISTINGS, & PRECAUTIONARY STATEMENTS
CONSULTE EL FOLLETO EN EL INTERIOR PARA VER EL MODO DE EMPLEO COMPLETO, LISTAS DE PLANTAS Y LOS AVISOS DE PRECAUCIÓN

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Wear protective eyewear. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

Environmental Hazards

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042

1-800-233-1067

www.preen.com

K09

CAS No. 1582-09-8
EPA Reg. No. 961-407
(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply when used as directed.

LIFT HERE TO OPEN *LEVANTE AQUÍ PARA ABRIR* PRESS TO RESEAL *PRESIONE PARA VOLVER A CERRAR*

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.
Container Disposal:
If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Product Information

Preen Garden Weed Preventer plus Plant Food works all season long. One easy application prevents weeds up to 3 months. This product contains an all purpose fertilizer to promote beautiful color, blooms, foliage and strong root growth while helping to resist disease. This product can be used anytime during the spring, summer or fall in flower and vegetable gardens, around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new weeds from sprouting - eliminating the need for difficult and time-consuming hand weeding. Without weeds your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long! There is no chance of overfeeding or burning your plants when used as directed.

Precautions and Restrictions
Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes, or climatic modifications and being grown in ornamental gardens.
Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result.

Do not apply Preen Garden Weed Preventer plus Plant Food to muck soils or to soils containing more than 10% organic matter. Do not over-apply; injury may occur to subsequent crops which are sensitive to this product. Do not use with crops other than those listed on this label. **This product is not for use on lawns**, nor for use in enclosed areas, such as greenhouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

Entry Restrictions - Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

9-12-9

Guaranteed Analysis

Total Nitrogen (N)	9%
9.0% Ammoniacal Nitrogen	
Available Phosphate (P_2O_5)	12%
Soluble Potash (K_2O)	9%
Sulfur (S)	6.5%
6.5% Combined Sulfur (S)	

Derived from: Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash.

Chlorine (Cl) not more than	8.0%

F699

0 88685 63902 9

PROOF OF PURCHASE

COMPROBANTE DE COMPRA

LEBANON SEABOARD CORPORATION
1600 E. Cumberland St. • Lebanon PA 17042
1-800-233-1067

Preen® is a registered trademark of Lebanon Seaboard Corporation.

EPA Reg. No. 961-407
CAS No. 1582-09-8

(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

Annual Weeds Controlled

Grassy weeds:
Barley, Hare
Barnyardgrass (Watergrass)
Bluegrass, Annual
Brome
Cheat
Crabgrass
Cupgrass: Southwestern, Woolly
Fescue, Rattail
Foxtail
Guineagrass
Goosegrass
Johnsongrass (from seed)
Junglerice
Lovegrass
Oat, Wild
Panicum: Fall, Texas
Sandbur
Shattercane
Signalgrass (*Brachiaria*)
Sprangletop
Stinkgrass
Wildcane
Witchgrass

Broadleaf weeds:
Carelessweed
Carpetweed
Chickweed
Goosefoot
Henbit
Knotweed
Kochia
Lambsquarters
Nettle, Stinging
Pigweed
Puncturevine (Western U.S. only)
Purslane
Pusley, Florida
Thistle, Russian

This Preen Product is Recommended for Use Around These Established Plants

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses –

Aaronsbeard
Alyssum
Arctotis
Aster (perennial)
Aster, Stoke's
Baby's breath
Balsam
Beard tongue
Bee balm
Begonia
Bellflower
Black-eyed susan
Bleeding heart
Bunge
Calendula
Calliopsis
Cape weed
Carex, Variegated
Carnation
Carpet bugle (*Ajuga*)
Ceanothus
Centaurea, Velvet
Chrysanthemum
Coneflower, Purple
Coral bells
Coreopsis
Cornflower, Purple
Cosmos
Cotoneaster
Coyote bush, Dwarf
Crown vetch
Daffodil
Dahlia
Daisy: African, Painted, Shasta, Trailing African
Daylily
Descampsia
Dianthus
Dusty miller
Fern, Asparagus
Fescue, Blue
Floss flower (*Ageratum*)
Forget-me-not
Four o'clock
Foxglove
Gaillardia
Gayfeather
Gazania
Geranium
Germander
Geum
Gladiolus (corms > 1" in diameter)
Golden glow
Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia
Guara
Hakonechloa, Golden
Hollyhock
Hosta, Albo-marginata
Hyacinth
Ice plant: Largeleaf, Trailing, Trailing rosea, White
Impatiens
Iris, Bulbous
Ivy: Algerian, California, English, Needlepoint
Ixora
Jasmine: Angelwing, Asaian
Lamb's ears
Lavander, English
Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated liriope, White
Lily-of-the-nile
Lobelia
Lupine (*Lupinus*)
Marigold
Marigold, Cape (*Dimorphotheca*)
Morningglory
Myoporum
Narcissus
Nasturtium
Nicotiana
Ozark sundrop
Periwinkle (*Vinca*)
Peter Pan, Dwarf
Petunia
Phlox
Pincushion flower (*Scabiosa*)
Plumbago, Dwarf
Poppy, California
Portulaca
Rockrose
Rose
Rosemary
Rudbeckia
Rupturewort
Sage, Russian
Salvia
Silver mound
Snapdragon
Snow-in-summer
Snow-on-the-mountain
Speedwell
Spurge, Japanese
St. John's wort
Statice
Stock
Stonecrop (*Sedum*)
Strawberry, Beach
Sunflower
Sweet alyssum
Sweet pea
Sweet sultan
Sweet william
Thrift
Tickseed
Tulip
Verbena
Wire plant
Wirevine, Creeping
Yarrow (*Achillea*)
Zinnia

Shrubs -

Abelia: Edward Goucher, Glossy
Acacia: Abyssinica, Prostrate, Shoestring
Andromeda, Japanese
Arborvitae: American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis-pyramid, Rheingold, Techny
Azalea
Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly
Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn
Bottlebrush: Lemon, Weeping
Bougainvillea: Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn
Boxwood: Common, Harlands, Japanese, Korean, Littleleaf
Broom: Hollandia-warminster, Lena-Scotch
Camellia: Japanese, Sasanqua
Cassia, Feathery
Century plant
Cherry: Carolina laurel, Dwarf pink flowering almond
Cinquefoil
Cleyera, Japanese
Cotoneaster: Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel
Coyotebush
Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa
Daphne, Fragrant
Deutzia
Dogwood: Baileyi red osier, Flaviramea-yellowtwig, Sibirica-Siberian
Elaeagnus
Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper
Fern: Tassel, Japanese painted
Firethorn (*Pyracantha*)
Forsythia
Gardenia: August beauty, Mystery, Radican
Guava, Pineapple
Hawthorn, India
Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch
Hibiscus, Ross Estey
Holly
Honeysuckle: Cape, Trumpet
Hopseed bush
Ixora
Jessamine, Carolina
Juniper
Lantana

Shrubs (continued)

Laurel: American Cherry, Mountain
Leaf: Copper, Salal/lemon
Leucothoe: Coast, Drooping
Lilac: Common, Chinese, Wild
Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Templebells, Valley rose, Valley valentine
Mahonia: Creeping, Leather leaf
Maple: Amur, Coral bark Japanese, Dwarf Japanese
Mock orange
Myrtle: Crape, Wax
Oleander: Hardy red, Ruby lace
Osmanthus, Fortunes
Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago
Photinia, Fraser's
Pieris Japonica
Pine, Mugo-mugho
Pittosporum: Green, Japanese, Wheeler's dwarf
Plumbago
Privet
Red Cedar, Eastern
Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme
Rhododendron
Robira
Rose
Rose, Ramanas
Rose of Sharon: Heart, Red bird, Woodbridge
Sakaki
Silverberry
Skimmia: Japanese, Reeve's
Smoke Tree: Royal purple, Coral beauty, Eichholz
Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte
Sumac, African
Summersweet
Sweetspire, Henry Garnet holly leaf
Viburnum
Weigela
Willow
Woadwaxen
Woodbine: Flowering, Serotina
Xylosma
Yew: Anglojap, Plum, Upright Japanese
Yewpine
Yucca

Trees -

Ash: Shamel, White
Banana
Birch: European white, Paper, River
Blackgum
Bottle tree
Carob
Carrot wood
Cherry, Yoshino flowering
Coolibah tree
Cottonwood
Crabapple
Cypress: Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false
Dogwood: Cloud nine, Flowering, Kousa
Elm, Chinese
Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar
Ficus, Mini
Fir: Balsam, Douglas, White
Florida anise tree
Ginko-maidenhair tree
Hawthorn, Green
Hemlock: Canada, Eastern
Larch, Japanese
Linden
Locust: Black, Honey, Shademaster honey
Magnolia
Mahogany
Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering
Mesquite, Chilean
Mulberry, White
Oak: Bear, Live, Pin, Red, Scarlet, Willow
Olive: Black, Russian
Palm: Mexican fan, Parlor, Queen
Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore
Planetree, London
Podocarpus
Redbud, Eastern
Red Cedar, Eastern
Sequoia, Giant
Sourwood

Trees (continued)

Spruce: Colorado, Dwarf Alberta, Dwarf, globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White
Sweetgum, American
Sycamore: American, California
Tab, Yellow
Toyon
Tuliptree
Willow

+Nonbearing Fruit and Nut Trees and Plants –

Almond
Apple
Apricot
Avocado
Blackberry
Blueberry
Cherry: Sweet, Sour
Chestnut, Chinese
Currant
Dewberry
Elderberry
Fig
Filbert
Gooseberry
Grape: American, European
Grapefruit
Kiwi
Lemon
Loganberry
Macadamia nut
Nectarine
Olive
Orange
Peach
Pear
Pecan
Pistachio
Plum
Pomegranate
Prune
Raspberry
Tangelo
Tangerine
Walnut: Black, English

+Nonbearing fruit and nut trees and plants are defined as plants that will not bear fruit for at least one year after treatment.

When to Apply

Apply Preen Garden Weed Preventer plus Plant Food anytime in the spring, summer or fall around established plants and transplants. **Preen Garden Weed Preventer plus Plant Food should not be used on flower seeds.** It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Garden Weed Preventer plus Plant Food as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. **For optimum weed control and plant feeding, reapply this product every 3 months.**

How to Apply

To avoid plant injury, do not apply Preen Garden Weed Preventer plus Plant Food **when foliage is wet.** When plants are dry, sprinkle Preen Garden Weed Preventer plus Plant Food on soil surface at rate given for your specific planting situation. Once activated by watering or soil incorporation, it forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying Around Established Plants & Transplants

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2-3 inches tall (see special section for use on vegetables): sprinkle Preen Garden Weed Preventer plus Plant Food evenly over the entire soil surface, at the rate of 1 oz. per 10 sq. ft. (see picture on right), being sure to keep granules away from plant roots and foliage. Immediately water this product into soil surface. If watering-in is not convenient, lightly rake into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface Application Rate
Sprinkle Preen Garden Weed Preventer plus Plant Food as shown on soil surface.

Applying with Mulch

For best weed control, we recommend applying Preen Garden Weed Preventer plus Plant Food after spreading mulch on your flower and shrub beds. Sprinkle it on top of mulch at surface rate (see picture above), being sure to keep granules away from plant foliage. Immediately water this product into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

For Use On Vegetables

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen Garden Weed Preventer plus Plant Food into the top 1-2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 640 sq. ft. for heavy clay-type soils, at 1 lb. per 960 sq. ft. for medium loam soils, and at 1 lb. per 1280 sq. ft. for light sandy soils.

BEFORE Seeding: Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Eyed Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Radish, Southern Peas (Cow Peas), Snap Beans, Turnip Greens.

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons. Apply after plants have developed 5 or more leaves.

AFTER Planting: Potatoes - May be applied after planting, before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage.

BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers, Onions, Tomatoes.

Perennial Vegetables: Asparagus - Apply prior to spear emergence of established plants.

PREEN GUARANTEE

Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

Análisis de garantizado

Nitrógeno total (N)	9%
9,0% de nitrógeno amoniacal	
Fosfato (P_2O_5) disponible	12%
Potasa (K_2O) soluble	9%
Azufre (S)	6,5%
6,5% de azufre (S) combinado	
Derivado de: Fosfato de amonio, sulfato de amonio, muriato de potasa.	
Cloro (Cl), no más de	8,0%

9-12-9

F699

La información relacionada con el contenido y los niveles de metales en este producto se encuentra disponible en Internet en http://www.regulatory-info-lebsea.com

Preen® CONTROLADOR DE MALEZAS DE JARDÍN MÁS ALIMENTO PARA PLANTAS

NO APTO PARA USO EN CÉSPED

ESPARZA SOBRE EL COMPUESTO ORGÁNICO cada 3 MESES

• Impide el crecimiento de malezas por hasta tres meses

Preen trabaja por usted
MALEZAS 83,61 M².
Peso Neto: 5,625 lb (2,55 kg)

INGREDIENTE ACTIVO:

Trifluralina	*1,47%*
OTROS INGREDIENTES:	*98,53%*
TOTAL	*100,00%*

MANTENGA ALEJADO DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN

Consulte el panel posterior para obtener información sobre primeros auxilios y otras medidas de precaución adicionales

LIMITED WARRANTY to CONSUMERS · GOOD · HOUSEKEEPING Since ★ 1909 REPLACEMENT or REFUND IF DEFECTIVE

Garantía limitada para los consumidores. GOOD HOUSEKEEPING se compromete a reemplazar este producto si tiene defectos

LEBANON SEABOARD CORPORATION • 1-800-233-1067 • Visite www.preen.com

Modo de empleo

Se considera una violación a la ley federal usar este producto con fines que no sean los indicados en la etiqueta.

Almacenaje y eliminación

No contamine el agua, los alimentos o el forraje al almacenarlo o eliminarlo.
Almacenaje del pesticida: Almacene el producto en su envase original en un lugar fresco, seco, cerrado con llave, fuera del alcance de los niños y animales.
Eliminación del envase:
Si está vacío: El envase no se puede volver a rellenar. No vuelva a usar ni rellene este envase. Colóquelo en la basura o, si está disponible, ofrézcalo para reciclaje.
Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca deseche el producto sin usar en desagües en interiores o exteriores.

Información de Producto

El controlador de malezas más alimento para plantas multipropósito Preen funciona durante toda la temporada. Una aplicación sencilla evita el crecimiento de malezas por hasta 3 meses. Este producto contiene un fertilizante multipropósito que promueve un colorido, floración y follaje bellos y el crecimiento de una raíz fuerte, al mismo tiempo que ayuda a resistir enfermedades. Este producto puede utilizarse en cualquier momento durante la primavera, el verano o el otoño en jardines de flores y huertos, alrededor de cubiertas vegetales, árboles y arbustos. Aunque este producto no mata las malezas existentes, evitará la germinación de nuevas malezas, lo que elimina la dificultad y la pérdida de tiempo de desmalezar a mano. Sin malezas, sus valiosas plantas podrán crecer más grandes y fuertes. ¡Sus macizos se mantendrán arreglados y libres de malezas toda la temporada! No existe la posibilidad de sobrealimentar o quemar sus plantas cuando se utiliza directamente.

Precauciones y restricciones

No lo use en plantas que se hayan cultivado para la venta u otro uso comercial, para la producción comercial de semillas ni para fines de investigación. Para uso en plantas destinadas para fines estéticos o modificaciones climáticas y que se estén cultivando en jardines ornamentales.

No aplique el producto de ninguna forma que pueda entrar en contacto con personas o mascotas, ya sea directa o indirectamente. Mantenga a las personas y mascotas alejadas del área durante la aplicación.

No aplique en ajugas, mirtos ni diamantes hasta que estén bien establecidos ya que podría producir daños.

No aplique el controlador de malezas de jardines más alimento para plantas multipropósito Preen en suelos estercolados o en suelos que contengan más de un 10% de materia orgánica. No aplique demasiado; puede producir daños a los cultivos posteriores que sean sensibles a este producto. No usar con cultivos distintos a los que se mencionan en esta etiqueta. Este producto no se debe usar en céspedes ni en áreas cerradas, como invernaderos. Para evitar manchar accidentalmente superficies como concreto, caminos de piedra, superficies de vinilo, etc., barra los gránulos que queden dispersos lo antes posible.

Restricciones de ingreso: No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si el producto se riega, no ingrese ni permita que otros ingresen en las áreas tratadas (excepto quienes deben regar el producto) hasta que el riego esté completo y la superficie esté seca.

Malezas anuales controladas

Malezas herbosas:

Cebada silvestre	villosa	Avena silvestre	Caña brava
Capín arroz	Festuca myuros	Panicum:	Grama
(zacate de agua)	Festuca megalura	De otoño, Texas	
Zacate azul	Zacate Guinea	Rosetilla	
Bromo	Pata de gallina	Sorgo	
Bromo secalino	Zacate Johnson	Pasto barrera	
Digitaria	(de semilla)	(brachiaria)	
Eriochloa:	Arrocillo silvestre	Leptochloa	
del sudoeste,	Amor seco	Zacate apestoso	

Malezas de hoja ancha:

Quintonil tropical	Lengua de pájaro	Roseta francesa	Florida
Culantrillo	Pinillo	(sólo en el oeste	Cardo ruso
Pamplina	Cenizo	de EE.UU.)	
Quenopodio	Ortiga romana	Verdolaga	
Ortiga mansa	Bledo	Verdolaga de	

Se recomienda el uso de este producto Preen alrededor de estas plantas establecidas

Bulbos, flores, hierbas, cubiertas vegetales y céspedes ornamentales:

Hipérico
Aliso
Artotis
Áster (perenne)
Stokesia
Aliento de bebé
Bálsamo
Penstemon
Bergamota silvestre
Begonia
Campanilla
Rudbeckia
Dicentra
Pistacho chino
Caléndula
Calliopsis
Gazania amarilla
Carex variegado
Clavel
Búgula (Ajuga)
Ceanoto
Centaurea gymnocarpa
Crisantemo
Equinácea púrpura
Heuchera
Coreopsis
Aciano púrpura
Cosmos
Cotoneaster
Arbusto coyote enano
Coronilla varia
Narciso
Dalia
Margarita: Africana, pintada, Shasta, africana rastrera
Hemerocallis
Descampsia
Clavelina
Senecio cineraria
Esparraguera
Festuca azul
Agerato
Nomeolvides
Dondiego
Dedalera
Gallardía
Liatris
Gazania
Geranio
Camedrio
Geum
Gladiolo (bulbo de más de 2,54 cm (1") de diámetro)
Rudbeckia ampla
Césped: Barrón, convalaria enana, eulalia, Penisetum chino, zoysia tenuifolia, convalaria, hierba de la pampa, falaris, zoysia
Guara
Hakonechloa Golden
Malva real
Hosta Albo-marginata
Jacinto
Delosperma: De hoja grande, rastrera, rosa rastrera, blanca
Alegría de la casa
Lirio bulboso
Hiedra: De Argelia, de California, inglesa, punta de aguja
Ixora
Jazmín: Angelwing, Asaian
Oreja de conejo
Lavanda
Liriope: Big blue, Green/rastrero, Lilac Beauty, Magestic, Silvery Sunproof, variegado, blanco
Azucena del Nilo
Lobelia
Lupino
Caléndula
Caléndula del cabo (Dimorphotheca)
Dondiego de día
Mioporo
Narciso
Mastuerzo
Tabaco ornamental
Onagra
Vinca
Peter Pan enano
Petunia
Flox
Escabiosa (Scabiosa)
Celestina enana
Amapola California
Portulaca
Jara
Rosa
Romero
Rudbeckia
Herniaria
Salvia rusa
Salvia
Ajenjo
Boca de dragón
Cerastio
Nieve en la montaña
Verónica
Diamante
Hierba de San Juan
Estática
Alhelí
Uva de gato (Sedum)
Frambuesa Beach
Girasol
Aliso dulce
Guisante de olor
Centaurea moschata
Clavel del poeta
Armeria
Coreopsis
Tulipán
Verbena
Muehlenbeckia
Enredadera de alambre
Milenrama (Aquilea)
Zinia

Arbustos:

Abelia: Edward Goucher, Glossy
Acacia: Abisinia, redolens, Shoestring
Andrómeda japonesa
Tuya: Americana, Aureus nana Golden enana, Emerald, globosa, Little Giant enana, azul enana, americana Nigradark, Piramidalis, Rheingold, Techny
Azalea
Bambú: Compacto enano, divino Harbour enano, divino, divino compacto enano, divino púrpura enano, divino Woods enano
Agracejo rojo: Japonés Átropurpurea, japonés Aurea-golden, Crymson Pygmy, japonés, Mento, Rose Glow, William Penn
Limpiatubos: Lemon, llorón
Bugambilia: Barbara Karst, California Gold, Pink Pixie, Scarlett O'Hara, Temple Fire, Texas Dawn
Boj: Común, Harlands, japonés, coreano, Littleleaf
Retama: Hollandiawarminster, Lena- Scotch
Camelia: Japonesa, Sasanqua
Casia plumosa
Ágave americano
Cerezo: Laurel de Carolina, Pink Flowering Almond enano
Cincoenrama
Cleyera japonesa
Cotoneaster: Bearberry, Cranberry, Himalayan, Praecoxearly, Pyrenees, Rock, Zabel
Arbusto coyote
Ciprés: Filiferathread, Kosteri, Hinoki enano, Torulosa
Daphne olorosa
Deucia
Cornejo: Baileyi Red Osier, Flaviramea Yellow Twig, siberiano
Eleagno
Evónimo: Canadale, Emerald'n gold, Silver King, Spreading, Sunspot, Evergreen variegado, Winged, Wintercreeper
Helecho: Tassel, pintado japonés
Espinas de fuego (Pyracantha)
Forsitia
Gardenia: August Beauty, Mystery, Radican
Feíjoa
Espino indio
Brezo: Cornish, Purple Bell, Mediterranean Pink, Spring Torch Scotch
Espino indio
Hibisco Ross Estey
Acebo
Lonicera: Del Cabo, Trumpet
Dodonea
Ixora
Jessamine, Carolina
Junípero
Lantana
Laurel: American Cherry, Mountain
Plátano oriental: Copper, Salal/lemon
Leucothoe: Coast, Drooping
Lila: Común, china, silvestre
Azucena del valle: Forest Flame, Mountain Fire, Snowdrift, Templebells, Valley Rose, Valley Valentine
Mahonia: Rastrera, hoja de cuero
Arce: Amur, japonés Coral Bark, japonés enano
Celinda
Mirto: Árbol de Júpiter, arrayán
Adelfa: Hardy Red, Ruby Lace
Osmanthus fortunei
Palma: Areca, Chinese Fountain, Christmas, Pigmy Date, Sago
Fotinia de Fraser
Andrómeda japonesa
Pino Mugo
Pitosporo: Verde, japonés, Wheeler's enano
Celestina
Aligustre
Cedro rojo oriental
Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, de hoja redonda, Springtime-Monme
Rododendro
Robira
Rosa
Rosa Ramanas
Rosa de Siria: Heart, Red Bird, Woodbridge
Sakaki
Eleagno
Skimmia: Japonesa, Reeve's
Árbol del humo: Royal Purple, Coral Beauty, Eichholz
Espirea: Anthony Waterer, Bridal Wreath, Dolchia, falsa, alpina japonesa, Shirobana, Vanhoutte
Zumaque africano
Clethra alnifolia
Itea hoja de acebo Henry Garnet
Viburno
Weigela
Sauce
Genista
Parra virgen: En floración, Serotina
Xylosma
Tejo: Anglojap, Plum, japonés erguido
Tejo chino
Yuca

Arboles:

Fresno: Shamel, blanco
Banano
Abedul: Blanco europeo, de papel, de río
Tupelo
Árbol botella
Algarrobo
Styphelia Richei
Cerezo Yoshino en floración
Coolabah
Álamo
Manzano silvestre
Ciprés: de Arizona, calvo, filicoides Fern Spray, Hinoki Gracilis Slender, Squarrosa-moss, falso Swara
Cornejo: Cloud Nine, en floración, Kousa
Olmo chino
Eucalipto: Mealy, Redgum, Red Ironbark, Silver Dollar
Ficus miniatura
Abeto: Balsam, Douglas, blanco
Anís estrellado americano
Ginko
Espino verde
Falso abeto: Del Canadá, oriental
Alerce japonés
Tilo
Robinia: Negro, Honey, Shademaster Honey
Magnolia
Caoba
Arce: De floración blanca, Flame, de floración amarilla, de Noruega, rojo Red Sunset, de floración rosada, Silver, Sugar, Tangerine en floración, Vesuvius de floración roja
Mezquite chileno
Mora blanca
Roble: Bear, Live, Pin, rojo, Scarlet, Willow
Olivo: Negro, ruso
Palma: Mexicana, Parlor, Queen
Pino: Austríaco, Beach, de Bosnia, Bristlecone, Canary Island, Columnar Scotch, oriental blanco, Eldarica, negro japonés, Loblolly, Monterey, Pumilio Shrubby Swiss Mountain, rojo, escocés, Shore
Plátano de Londres
Podocarpo
Árbol del amor oriental
Cedro rojo oriental
Secoya gigante
Oxydendrum arboreum
Falso abeto: de Colorado, de Alberta enano, enano, Globe azul, azul Colorado Blue, azul Hoopsii-Hoop's, Koster Blue, de Noruega, de Noruega Pendula Weeping, de Noruega rastrero, blanco
Liquidámbar americano
Plátano de sombra: Americano, de California
Tab amarillo
Toyon
Tulipanero
Sauce

+Árboles y plantas que no producen frutos o frutos secos:

Almendro
Manzano
Albaricoquero
Aguacatero
Morero negro
Arandanero
Cerezo: Dulce, agrio
Castaño chino
Pasa de Corinto
Zarza
Baya
Higuera
Avellano
Grosellero
Parra: Americana, europea
Pomelo
Kiwi
Limonero
Frambueso de Logan
Nogal de macadamia
Nectarino
Olivo
Naranjo
Melocotonero
Peral
Pacana
Pistachio
Ciruelo
Granado
Ciruela pasa
Frambueso
Tangelo
Mandarino
Nogal: Negro, inglés

+Los árboles y plantas que no producen frutos ni frutos secos se definen como plantas que no producirán frutos por al menos un año después del tratamiento.

Cúando aplicar

Aplique el controlador de malezas de jardín más alimento para plantas Preen en cualquier momento durante la primavera, el verano o el otoño alrededor de plantas establecidas y trasplantadas. El controlador de malezas de jardín más alimento para plantas multipropósito Preen no se debe usar en semillas de flores. Se puede usar después de que las plantas en floración hayan germinado y tengan de 5,08 a 7,62 cm de alto. Debido a que no mata las malezas existentes, deberá retirar primero cualquier maleza que haya comenzado a crecer. Al aplicar el controlador de malezas de jardín más alimento para plantas multipropósito Preen lo antes posible, puede eliminar la necesidad de desmalezar manualmente. La lluvia no elimina este producto del suelo. Para un control de malezas y una alimentación de plantas óptimos, vuelva a aplicar este producto cada 3 meses.

Cómo aplicar

Para evitar daños en la planta, no aplique el controlador de malezas de jardín más alimento para plantas Preen cuando el follaje esté mojado. Cuando las plantas estén secas, rocíe el controlador de malezas de jardín más alimento para plantas Preen en la superficie del suelo según las dosis que se indican más abajo para su situación de plantado específica. Una vez que se haya activado mediante el riego o su incorporación al suelo, forma una barrera de control contra malezas en la capa superior del suelo, lo que evita que las semillas de malezas germinen. La alteración de la superficie del suelo después de la activación puede dar como resultado un control contra malezas irregular.

Aplicación alrededor de plantas establecidas y trasplantadas

Para flores, rosas, hierbas, cubiertas vegetales, céspedes ornamentales, arbustos, árboles y hortalizas que se indican, de al menos 5,08 a 7,62 cm de alto (consulte la sección especial para uso en hortalizas): Rocíe controlador de malezas de jardín más alimento para plantas multipropósito Preen de forma pareja sobre toda la superficie del suelo en una dosis de 29,57 cc por cada 0,93 m2 (consulte la imagen a la derecha), asegurándose de mantener los gránulos alejados de las raíces y el follaje de las plantas. Riegue de inmediato el producto para que penetre en el suelo. Si el riego no funciona, rastrille levemente la superficie del suelo. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

Proporción de aplicación en la superficie

Rocíe Maquíllese® Maleza de Jardín Preventor más Todo Alimento de Planta de Propósito sobre la superficie del suelo como se muestra.

Aplicación con compuesto orgánico

Para obtener un mejor control de las malezas, recomendamos aplicar Preen® controlador de malezas de jardín más alimento para plantas después de esparcir compuesto orgánico en los mantos de flores y arbustos. Rocíe el producto sobre el compuesto orgánico según la proporción de la superficie (consulte la imagen de arriba), asegurándose de mantener los gránulos alejados del follaje de las plantas. De inmediato riegue el compuesto orgánico con este producto. Si el riego no es práctico, rastrille levemente la capa superior del compuesto orgánico. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

Para uso en hortalizas

Primero, retire todas las malezas existentes y luego rastrille levemente para preparar una superficie de suelo pareja. Mezcle de forma pareja el controlador de malezas de jardín más alimento para plantas multipropósito Preen en los 2,54 a 5,08 cm superiores del suelo inmediatamente después de la aplicación, teniendo cuidado de no dañar los cultivos que hayan brotado. La dosis de aplicación depende del tipo de suelo. Aplique 453,59 g por cada 59,46 m² para suelos muy arcillosos, 453,59 g por cada 89,19 m² para suelos con un contenido de arcilla medio y 453,59 g por cada 118,92 m² para suelos arenosos livianos.

ANTES de sembrar: Brócoli, repollitos de Bruselas, repollo, zanahorias, coliflor, apio, berzas, alubias, arvejas de campo, arvejas, col rizada, lentejas, frijoles, mostaza parda, quingombó, rábanos, arvejas del sur (caupí), ejotes, hojas de nabo.

DESPUÉS de sembrar o trasplantar: Cantalupos, pepinos, sandías. Aplicar después de que las plantas hayan desarrollado 5 o más hojas.

DESPUÉS de plantar: Papas: Se puede aplicar después de plantar, antes o después de que la planta haya brotado. Tenga cuidado de no dañar las semillas al cultivarlas ni permita que el suelo tratado entre en contacto con el follaje de la planta que brotó.

ANTES de trasplantar: Apio, brócoli, repollitos de Bruselas, repollo, coliflor, berenjena, pimientos, cebollas, tomates.

Hortalizas perennes: Espárragos. Aplicar antes de que la planta brote.

GARANTÍA PREEN

Lebanon Seaboard Corporation le garantiza que, si usted no queda satisfecho con el producto luego de usarlo como se indica, se le reembolsará su dinero. Si no queda satisfecho, haga una descripción de la naturaleza del problema y envíela con el comprobante de compra a Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

CAS No. 1582-09-8

EPA Reg. No. 961-407

(L) (D)

EPA Est. 961-PA-01:961-IL-01

El superíndice usado es la primera letra del número de lote.

El fabricante no otorga garantías, expresas ni implícitas, relacionadas con este producto o con su uso, que se extiendan más allá de lo descrito en el presente documento. Todas las declaraciones hechas relacionadas con este producto se aplican cuando el mismo se usa según las instrucciones.

Use nuestros productos con responsabilidad, obtenga más información en www.preen.com

Preen® es una marca registrada de
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon PA 17042

K09

Avisos de precaución

Riesgos para humanos y animales domésticos

PRECAUCIÓN

Provoca una irritación moderada de los ojos. Use gafas de protección. El producto es nocivo si se ingiere o se absorbe a través de la piel. Evite el contacto con los ojos, la piel o la ropa. Si el producto ingresa en la ropa, el usuario debe quitársela de inmediato. Luego, lávese bien y colóquese ropa limpia. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

Lávese las manos antes de comer, beber, masticar chicle, usar tabaco o usar el inodoro.

Recomendaciones de seguridad para el usuario:

- *Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, usar tabaco o usar el inodoro.*
- *Si el producto ingresa en la ropa, el usuario debe quitársela de inmediato. Luego, lávese bien y colóquese ropa limpia.*

PRIMEROS AUXILIOS

SI ESTÁ EN LOS OJOS:	• Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15-20 minutos. Si lleva lentes de contacto puestos, quíteselos luego de los primeros 5 minutos, luego continúe enjuagando el ojo. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
EN CASO DE SER INGERIDO:	• Llame de inmediato a un centro de control de envenenamientos o a un médico para solicitar tratamiento. • Haga que la persona tome agua, si puede tragar. • No induzca el vómito, a menos que se lo indique un médico o el centro de control de envenenamientos. • No administre nada por boca a una persona que haya perdido el conocimiento.
SI ESTÁ EN LA PIEL O EN LA ROPA:	• Quítese inmediatamente la ropa contaminada. • Enjuague la piel inmediatamente con abundante agua entre 15 y 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE INHALA:	• Lleve la persona a un lugar con aire fresco. • Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible. • Llame a un centro de control de envenenamientos o a un médico para recibir más instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre emergencias médicas, llame al (888) 208-1368.

Riesgos para el medio ambiente

Este pesticida es extremadamente tóxico para peces e invertebrados acuáticos, incluidos los camarones y las ostras. No lo aplique de manera que contamine directamente canales, lagos, arroyos, charcos, pantanos o estuarios mediante corrientes de aire. Para proteger el medio ambiente, no deje que el pesticida entre o escurra hacia desagües pluviales, zanjas de desagüe, alcantarillas ni aguas superficiales. Aplicar este producto en un clima tranquilo ayudará a asegurar que el viento no sople el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre una entrada de garaje, acera o calle llevándolo de vuelta al área tratada del jardín para evitar que se escurra hacia aguas superficiales o sistemas de drenaje.